




MODEL:JKD-YC260-2SP





- Lamp lifetime ≥50,000H
- Waterproof IP68
- Easy installation
- High CRI
- 
- 
- 

| Product                                | Model         | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                             | Body Material                    |
|----------------------------------------|---------------|----------|--------------|-------|-----------------|--------------------------------------------------------------|----------------------------------|
| Resin Filled Wa Mounted LED Pool Light | JKD-YC260-2SP | D260*H40 | SMD LED      | 18W   | AC12V           | Irradiation area widen<br>The light is downy and No dazzling | Stainless Steel 304+Resin filled |
|                                        |               |          |              | 25W   |                 |                                                              |                                  |
|                                        |               |          |              | 35W   |                 |                                                              |                                  |



MODEL:JKD-YC260-SP  
JKD-YC290-SP





- Lamp lifetime ≥50,000H
- Working temperature -20°C~40°C
- Waterproof IP68
- Easy installation
- High CRI
- 
- 
- 

| Product                                | Model        | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                             | Body Material                    |
|----------------------------------------|--------------|----------|--------------|-------|-----------------|--------------------------------------------------------------|----------------------------------|
| Resin Filled Wa Mounted LED Pool Light | JKD-YC260-SP | D260*H30 | SMD LED      | 18W   | AC12V           | Irradiation area widen<br>The light is downy and No dazzling | Stainless Steel 304+Resin filled |
|                                        |              |          |              | 25W   |                 |                                                              |                                  |
|                                        | JKD-YC290-SP | D290*H30 |              | 35W   |                 |                                                              |                                  |





MODEL:JKD-UT90-AP    MODEL:JKD-UT160-AP    MODEL:JKD-UT230-AP



| Product                                  | Model        | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                                | Body Material    |
|------------------------------------------|--------------|----------|--------------|-------|-----------------|-----------------------------------------------------------------|------------------|
| Resin Filled Wall Mounted LED Pool Light | JKD-UT90-AP  | D90*H18  | SMD LED      | 6W    | AC12V           | Irradiation area widen<br>The light is downy and<br>No dazzling | ABS+Resin filled |
|                                          | JKD-UT160-AP | D160*H18 |              | 12W   |                 |                                                                 |                  |
|                                          | JKD-UT230-AP | D230*H18 |              | 18W   |                 |                                                                 |                  |
|                                          |              |          |              | 25W   |                 |                                                                 |                  |
|                                          |              |          |              | 35W   |                 |                                                                 |                  |





MODEL:JKD-UT110-4SP

MODEL:JKD-UT160-4SP

MODEL:JKD-UT230-4SP

MODEL:JKD-UT230-4SP



| Product                                  | Model         | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                                | Body Material                                                   |
|------------------------------------------|---------------|----------|--------------|-------|-----------------|-----------------------------------------------------------------|-----------------------------------------------------------------|
| Ultra-thin Resin LED Swimming Pool Light | JKD-UT110-4SP | D110*H23 | SMD LED      | 6W    | AC12V<br>DC12V  | Irradiation area widen<br>The light is downy and<br>No dazzling | Stainless Steel 304/316<br>+Resin filled<br>C transparent cover |
|                                          | JKD-UT160-4SP | D160*H23 |              | 12W   |                 |                                                                 |                                                                 |
|                                          | JKD-UT230-4SP | D230*H23 |              | 18W   |                 |                                                                 |                                                                 |
|                                          |               |          |              | 25W   |                 |                                                                 |                                                                 |
|                                          |               |          |              | 35W   |                 |                                                                 |                                                                 |





MODEL:JKD-UT110-3SP

MODEL:JKD-UT160-3SP

MODEL:JKD-UT230-3SP




MODEL:JKD-UT110-3SP




MODEL:JKD-UT160-3SP



MODEL:JKD-UT230-3SP



- Only 10MM thickness.
- Marine Grade stainless steel.
- Resin Filled, 100% Waterproof
- Multicolor with remote control, Animation modes.
- With Tuya module controller, which support smart app with control, Music Control, Voice control.





| Product                                  | Model          | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                                | Body Material                                                    |  |
|------------------------------------------|----------------|----------|--------------|-------|-----------------|-----------------------------------------------------------------|------------------------------------------------------------------|--|
| Ultra-thin Resin LED Swimming Pool Light | JKD- JT1 0-3SP | D110* 10 | SMD LED      | 6W    | DC12V           | Irradiation area widen<br>The light is downy and<br>No dazzling | Stainless Steel 304/316<br>+Resin filled<br>PC transparent cover |  |
|                                          | JKD-UT160-3SP  | D160*H10 |              | 12W   |                 |                                                                 |                                                                  |  |
|                                          | JKD-UT230-3SP  | D230*H10 |              | 18W   |                 |                                                                 |                                                                  |  |
|                                          |                |          |              | 25W   |                 |                                                                 |                                                                  |  |
|                                          |                |          |              | 35W   |                 |                                                                 |                                                                  |  |







MODEL:JKD-UT250-SP



| Product                                  | Model        | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                             | Body Material                                         |
|------------------------------------------|--------------|----------|--------------|-------|-----------------|--------------------------------------------------------------|-------------------------------------------------------|
| Ultra-thin Resin LED Swimming Pool Light | JKD-UT250-SP | D250*H10 | SMD LED      | 18W   | DC12V           | Irradiation area widen<br>The light is downy and No dazzling | Stainless Steel 304+Resin filled PC transparent cover |
|                                          |              |          |              | 25W   |                 |                                                              |                                                       |
|                                          |              |          |              | 35W   |                 |                                                              |                                                       |



MODEL:JKD-UT250-2SP



| Product                                  | Model         | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                             | Body Material                                         |
|------------------------------------------|---------------|----------|--------------|-------|-----------------|--------------------------------------------------------------|-------------------------------------------------------|
| Ultra-thin Resin LED Swimming Pool Light | JKD-UT250-2SP | D250*H27 | SMD LED      | 18W   | AC12V<br>DC12V  | Irradiation area widen<br>The light is downy and No dazzling | Stainless Steel 304+Resin filled PC transparent cover |
|                                          |               |          |              | 25W   |                 |                                                              |                                                       |
|                                          |               |          |              | 35W   |                 |                                                              |                                                       |





MODEL:JKD-UT110-SP


MODEL:JKD-UT160-SP

MODEL:JKD-UT230-SP

MODEL:JKD-UT280-SP



- Only 7.5MM thickness.
- Marine Grade stainless steel.
- Resin Filled, 100% Waterproof.
- Multicolor with remote control, Animation modes.
- With Tuya module controller which support smart app with control, Music Control, voice control.



MODEL:JKD-UT110-SP






MODEL:JKD-UT160-SP



MODEL:JKD-UT230-SP



MODEL:JKD-UT280-SP



| Product                                  | Model        | Size(mm)  | Power | Light Source | Working Voltage | Lighting effects                                                | Body Material                                                    |
|------------------------------------------|--------------|-----------|-------|--------------|-----------------|-----------------------------------------------------------------|------------------------------------------------------------------|
| Ultra thin Resin LED Swimming Pool Light | JKD-UT110-SP | D110*H7.5 | 6W    | SMD LED      | DC12V           | Irradiation area widen<br>The light is downy and<br>No dazzling | Stainless Steel 304/316<br>+Resin filled<br>PC transparent cover |
|                                          | JKD-UT160-SP | D160*H7.5 | 12W   |              |                 |                                                                 |                                                                  |
|                                          | JKD-UT230-SP | D230*H7.5 | 18W   |              |                 |                                                                 |                                                                  |
|                                          |              |           | 25W   |              |                 |                                                                 |                                                                  |
|                                          |              |           | 35W   |              |                 |                                                                 |                                                                  |
|                                          | JKD-UT280-SP | D280*H7.5 | 18W   |              |                 |                                                                 |                                                                  |
|                                          |              |           | 25W   |              |                 |                                                                 |                                                                  |
|                                          |              |           | 35W   |              |                 |                                                                 |                                                                  |





MODEL:JKD-UT230-2SP



**LAMP WIRING DIAGRAM**

**Only 7.5MM thickness**  
Does not take up space, just stick to the pool wall

7.5mm

Take up less space    Avoid touching    Simple atmosphere



MODEL:JKD-UT110-2SP




MODEL:JKD-UT160-2SP



MODEL:JKD-UT230-2SP



MODEL:JKD-UT280-2SP





| Product                                  | Model         | Size(mm)   | Power | Light Source | Working Voltage | Lighting effects                                             | Body Material                                                     |
|------------------------------------------|---------------|------------|-------|--------------|-----------------|--------------------------------------------------------------|-------------------------------------------------------------------|
| Ultra-thin Resin LED Swimming Pool Light | JKD-UT110-2SP | D110*H20.5 | 6W    | SMD LED      | AC12V<br>DC12V  | Irradiation area widen<br>The light is downy and No dazzling | Stainless Steel 304/316<br>+Resin filled<br>+PC transparent cover |
|                                          | JKD-UT160-2SP | D160*H20.5 | 12W   |              |                 |                                                              |                                                                   |
|                                          |               |            | 18W   |              |                 |                                                              |                                                                   |
|                                          | JKD-UT230-2SP | D230*H20.5 | 25W   |              |                 |                                                              |                                                                   |
|                                          |               |            | 35W   |              |                 |                                                              |                                                                   |
|                                          |               |            | 18W   |              |                 |                                                              |                                                                   |
|                                          | JKD-UT280-2SP | D280*H20.5 | 25W   |              |                 |                                                              |                                                                   |
|                                          |               |            | 35W   |              |                 |                                                              |                                                                   |
|                                          |               |            |       |              |                 |                                                              |                                                                   |
|                                          |               |            |       |              |                 |                                                              |                                                                   |






MODEL:JKD-UT250-AP



| Product                                  | Model        | Size(mm) | Light Source | Power | Working Voltage | Lighting effects                                                | Body Material    |
|------------------------------------------|--------------|----------|--------------|-------|-----------------|-----------------------------------------------------------------|------------------|
| Ultra-thin Resin LED Swimming Pool Light | JKD-UT250-AP | D250*H6  | SMD LED      | 12W   | DC12V           | Irradiation area widen<br>The light is downy and<br>No dazzling | ABS+Resin filled |
|                                          |              |          |              | 18W   |                 |                                                                 |                  |
|                                          |              |          |              | 25W   |                 |                                                                 |                  |
|                                          |              |          |              | 35W   |                 |                                                                 |                  |



MODEL:JKD-YC295-A



| Product                | Model       | Size(mm) | Light Source                             | Power | Working Voltage | Lighting effects                                                                                                            | Body Material |
|------------------------|-------------|----------|------------------------------------------|-------|-----------------|-----------------------------------------------------------------------------------------------------------------------------|---------------|
| Wall mounted pool lamp | JKD-YC295-A | D295*H70 | 1PCS/W<br>High Power LED<br>/<br>SMD LED | 12W   | AC12V           | Irradiation long distance<br>and Concentrated light<br>/<br>Irradiation area widen<br>The light is downy and<br>No dazzling | ABS+PC        |
|                        |             |          |                                          | 18W   |                 |                                                                                                                             |               |
|                        |             |          |                                          | 24W   |                 |                                                                                                                             |               |
|                        |             |          |                                          | 25W   |                 |                                                                                                                             |               |
|                        |             |          |                                          | 35W   |                 |                                                                                                                             |               |
|                        |             |          |                                          | 45W   |                 |                                                                                                                             |               |






| Product                | Model       | Size(mm) | Light Source                          | Power | Working Voltage | Lighting effects                                             | Body Material |  |
|------------------------|-------------|----------|---------------------------------------|-------|-----------------|--------------------------------------------------------------|---------------|--|
| Wall mounted pool lamp | JKD-YC260-A | D260*H70 | 1PCS/W High Power LED<br>/<br>SMD LED | 12W   | AC12V           | Irradiation long distance and Concentrated light             | ABS+PC        |  |
|                        |             |          |                                       | 18W   |                 |                                                              |               |  |
|                        |             |          |                                       | 24W   |                 |                                                              |               |  |
|                        |             |          |                                       | 25W   |                 | Irradiation area widen<br>The light is downy and No dazzling |               |  |
|                        |             |          |                                       | 35W   |                 |                                                              |               |  |
|                        |             |          |                                       | 45W   |                 |                                                              |               |  |
|                        |             |          |                                       |       |                 |                                                              |               |  |




| Product                | Model        | Size(mm) | Light Source                          | Power | Working Voltage | Lighting effects                                                                                                              | Body Material |
|------------------------|--------------|----------|---------------------------------------|-------|-----------------|-------------------------------------------------------------------------------------------------------------------------------|---------------|
| Wall mounted pool lamp | JKD-YC230-2A | D230*H48 | 1PCS/W High Power LED<br>/<br>SMD LED | 6W    | AC12V           | Irradiation long distance and Concentrated light<br><br>/<br><br>Irradiation area widen<br>The light is downy and No dazzling | ABS+PC        |
|                        |              |          |                                       | 9W    |                 |                                                                                                                               |               |
|                        |              |          |                                       | 12W   |                 |                                                                                                                               |               |
|                        |              |          |                                       | 12W   |                 |                                                                                                                               |               |
|                        | JKD-YC295-2A | D295*H70 |                                       | 18W   |                 |                                                                                                                               |               |
|                        |              |          |                                       | 24W   |                 |                                                                                                                               |               |
|                        |              |          |                                       | 25W   |                 |                                                                                                                               |               |
|                        |              |          |                                       | 35W   |                 |                                                                                                                               |               |
|                        |              |          |                                       | 45W   |                 |                                                                                                                               |               |
|                        |              |          |                                       |       |                 |                                                                                                                               |               |






MODEL:JKD-YC180-S




MODEL:JKD-YC230-S




MODEL:JKD-YC300-S



MODEL:JKD-YC180-SW



MODEL:JKD-YC230-SW



MODEL:JKD-YC300-SW



| Product                | Model                                        | Size(mm) | Power | Light Source                                    | Working Voltage | Lighting effects                                                                                                                    | Body Material              |
|------------------------|----------------------------------------------|----------|-------|-------------------------------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| Wall mounted pool lamp | JKD-YC180-S(Blue)<br>JKD-YC180-SW<br>(White) | D180*H45 | 3W    | 1PCS/W<br>High Power<br>LED<br><br>/<br>SMD LED | AC12V           | Irradiation long distance<br>and Concentrated light<br><br>/<br><br>Irradiation area widen<br>The light is downy and<br>No dazzling | Stainless Steel<br>304/316 |
|                        |                                              |          | 6W    |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 9W    |                                                 |                 |                                                                                                                                     |                            |
|                        | JKD-YC230-S(Blue)<br>JKD-YC230-SW<br>(White) | D230*H48 | 6W    |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 9W    |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 12W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 18W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 18W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 24W   |                                                 |                 |                                                                                                                                     |                            |
|                        | JKD-YC300 S(Blue)<br>JKD-YC300-SW<br>(White) | D300*H70 | 25W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 35W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 36W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 45W   |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          | 18*3W |                                                 |                 |                                                                                                                                     |                            |
|                        |                                              |          |       |                                                 |                 |                                                                                                                                     |                            |






MODEL:JKD-YC230-A



| Product                | Model       | Size(mm) | Lght Source | Power | Working Voltage | Luminous color                                                  | Body Material |
|------------------------|-------------|----------|-------------|-------|-----------------|-----------------------------------------------------------------|---------------|
| wall mounted pool lamp | JKD-YC230-A | D230*H48 | LED         | 6W    | AC12V           | Irradiation area widen<br>The light is downy and<br>No dazzling | ABS+PC        |
|                        |             |          |             | 9W    |                 |                                                                 |               |
|                        |             |          |             | 12W   |                 |                                                                 |               |
|                        |             |          |             | 18W   |                 |                                                                 |               |



MODEL:JKD-YC230-3A



| Product                | Model        | Size(mm) | ight Source | Power | Working Voltage | Luminous color                                                  | Body Material |
|------------------------|--------------|----------|-------------|-------|-----------------|-----------------------------------------------------------------|---------------|
| wall mounted pool lamp | JKD-YC230-3A | D230*H48 | LED         | 6W    | AC12V           | Irradiation area widen<br>The light is downy and<br>No dazzling | ABS+PC        |
|                        |              |          |             | 9W    |                 |                                                                 |               |
|                        |              |          |             | 12W   |                 |                                                                 |               |
|                        |              |          |             | 18W   |                 |                                                                 |               |