





MODEL:JKD-PB




Mode NO	Take Over Size mm	A mm	B mm	C mm	D mm	Power	Voltage
With LED light							
PB300-25(L)	1.5 inch	50mm	306	93	75	25	4W
PB300-150(L)	1.5 inch	50mm	306	218	75	150	4W
PB300-230(L)	1.5 inch	50mm	306	298	75	230	4W
PB600-25(L)	1.5 inch	50mm	606	93	75	25	8W
PB600-150(L)	1.5 inch	50mm	606	218	75	150	8W
PB600-230(L)	1.5 inch	50mm	606	298	75	230	8W
PB900-25(L)	1.5 inch	50mm	906	93	75	25	12W
PB900-150(L)	1.5 inch	50mm	906	218	75	150	12W
PB900-230(L)	1.5 inch	50mm	906	298	75	230	12W
PB1200-25(L)	1.5 inch	50mm	1206	93	75	25	17W
PB1200-150(L)	1.5 inch	50mm	1206	218	75	150	17W
PB1200-230(L)	1.5 inch	50mm	1206	298	75	230	17W
PB1500-25(L)	1.5 inch	50mm	1506	93	75	25	21W
PB1500-150(L)	1.5 inch	50mm	1506	218	75	150	21W
PB1500-230(L)	1.5 inch	50mm	1506	298	75	230	21W

Installation of waterfall lamp with Valve




Installation of multiple waterfall lamps with valves (one valve per waterfall)




INSTALLATION FOR WATER DESCENT



EXISTING BUILT WALLS
PB300-25(L)/PB600-25(L)/PB900-25(L)/PB1200-25(L)/PB300-25/PB600-25/PB900-25/PB1200-25



SINGLE BRICK WALLS DURING CONSTRUCTION
PB300-150(L)/PB600-150(L)/PB900-150(L)/PB1200-150(L)/PB300-150/PB600-150/PB900-150/PB1200-150




LIMESTONE BLOCK WALLS DURING CONSTRUCTION:
PB300-230(L)/PB600-230(L)/PB900-230(L)/PB1200-230(L)/PB300-230/PB600-230/PB900-230/PB1200-230





Technical Information



Schematic diagram of approximate projected waterfall length parameters per 300 mm water sheet.



Build with circulation pumps (110V)



Build with Submersible Pump (24/48 Volt)







MODEL:JKD-PB-B

LED Water Descent

- Features, one-piece molding, more sturdy, uniform water output, beautiful and elegant design.
- Acrylic material, high temperature resistance, corrosion resistance, oxidation resistance.
- Constant Water Flow, Uniform and smooth water discharge effect.
- Suitable for villas, courtyards, gardens, pool water curtain walls.




Mode NO	Take Over Size mm	A mm	B mm	C mm	D mm	Power	Voltage
---------	-------------------	------	------	------	------	-------	---------

With LED light							
PB300-B30(L)	32mm / 50mm	300	110	90	30	4W	Output : DC12V Input: AC100-240V
PB300-B150(L)	32mm / 50mm	300	230	90	150	4W	
PB300-B230(L)	32mm / 50mm	300	310	90	230	4W	
PB600-B30(L)	32mm / 50mm	600	110	90	30	8W	Output : DC12V Input: AC100-240V
PB600-B150(L)	32mm / 50mm	600	230	90	150	8W	
PB600-B230(L)	32mm / 50mm	600	310	90	230	8W	
PB900-B30(L)	32mm / 50mm	900	110	90	30	12W	Output : DC12V Input: AC100-240V
PB900-B150(L)	32mm / 50mm	900	230	90	150	12W	
PB900-B230(L)	32mm / 50mm	900	310	90	230	12W	
PB1200-B30(L)	32mm / 50mm	1200	110	90	30	17W	Output : DC12V Input: AC100-240V
PB1200-B150(L)	32mm / 50mm	1200	230	90	150	17W	
PB1200-B230(L)	32mm / 50mm	1200	310	90	230	17W	
PB1500-B30(L)	32mm / 50mm	1500	110	90	30	21W	Output : DC12V Input: AC100-240V
PB1500-B150(L)	32mm / 50mm	1500	230	90	150	21W	
PB1500-B230(L)	32mm / 50mm	1500	310	90	230	21W	



Without LED light							
PB300-B30	32mm / 50mm	300	110	90	30	—	—
PB300-B150	32mm / 50mm	300	230	90	150	—	
PB300-B230	32mm / 50mm	300	310	90	230	—	
PB600-B30	32mm / 50mm	600	110	90	30	—	—
PB600-B150	32mm / 50mm	600	230	90	150	—	
PB600-B230	32mm / 50mm	600	310	90	230	—	
PB900-B30	32mm / 50mm	900	110	90	30	—	—
PB900-B150	32mm / 50mm	900	230	90	150	—	
PB900-B230	32mm / 50mm	900	310	90	230	—	
PB1200-B30	32mm / 50mm	1200	110	90	30	—	—
PB1200-B150	32mm / 50mm	1200	230	90	150	—	
PB1200-B230	32mm / 50mm	1200	310	90	230	—	
PB1500-B30	32mm / 50mm	1500	110	90	30	—	—
PB1500-B150	32mm / 50mm	1500	230	90	150	—	
PB1500-B230	32mm / 50mm	1500	310	90	230	—	



MODEL:JKD-PB-S63



Either direction for plumbing




Mode NO	Take Over Size mm	A mm	E mm	C mm	D mm	Power	Voltage
With LED light							
PB300-S63(L)	32mm / 50mm	300	138	134	63	4W	Output : DC12V Input: AC100-240V
PB300-S150(L)	32mm / 50mm	300	225	134	150	4W	
PB300-S230(L)	32mm / 50mm	300	305	134	230	4W	
PB600-S63(L)	32mm / 50mm	600	138	134	63	8W	Output : DC12V Input: AC100-240V
PB600-S150(L)	32mm / 50mm	600	225	134	150	8W	
PB600-S230(L)	32mm / 50mm	600	305	134	230	8W	
PB900-S63(L)	32mm / 50mm	900	138	134	63	12W	Output : DC12V Input: AC100-240V
PB900-S150(L)	32mm / 50mm	900	225	134	150	12W	
PB900-S230(L)	32mm / 50mm	900	305	134	230	12W	
PB1200-S63(L)	32mm / 50mm	1200	138	134	63	17W	Output : DC12V Input: AC100-240V
PB1200-S150(L)	32mm / 50mm	1200	225	134	150	17W	
PB1200-S230(L)	32mm / 50mm	1200	305	134	230	17W	
PB1500-S63(L)	32mm / 50mm	1500	138	134	63	21W	Output : DC12V Input: AC100-240V
PB1500-S150(L)	32mm / 50mm	1500	225	134	150	21W	
PB1500-S230(L)	32mm / 50mm	1500	305	134	230	21W	

Without LED light


PB300-S63	32mm / 50mm	300	138	134	63	—	—
PB300-S150	32mm / 50mm	300	225	134	150	—	
PB300-S230	32mm / 50mm	300	305	134	230	—	
PB600-S63	32mm / 50mm	600	138	134	63	—	—
PB600-S150	32mm / 50mm	600	225	134	150	—	
PB600-S230	32mm / 50mm	600	305	134	230	—	
PB900-S63	32mm / 50mm	900	138	134	63	—	—
PB900-S150	32mm / 50mm	900	225	134	150	—	
PB900-S230	32mm / 50mm	900	305	134	230	—	
PB1200-S63	32mm / 50mm	1200	138	134	63	—	—
PB1200-S150	32mm / 50mm	1200	225	134	150	—	
PB1200-S230	32mm / 50mm	1200	305	134	230	—	
PB1500-S63	32mm / 50mm	1500	138	134	63	—	—
PB1500-S150	32mm / 50mm	1500	225	134	150	—	
PB1500-S230	32mm / 50mm	1500	305	134	230	—	





Either direction for plumbing




MODEL:JKD-PB-3S





Two installation methods




External Wall Mounting



A variety of plug specifications to choose from




Model NO	Take Over Size mm	A mm	B mm	C mm	D mm	Power	Voltage
With LED light							
PB300-3S125(L)	32mm / 50mm	300	200	100	125	4W	Output : DC12V Input: AC100-240V
PB600-3S125(L)	32mm / 50mm	600	200	100	125	8W	
PB900-3S125(L)	32mm / 50mm	900	200	100	125	12W	
PB1200-3S125(L)	32mm / 50mm	1200	200	100	125	17W	
PB1500-3S125(L)	32mm / 50mm	1500	200	100	125	21W	
PB2100-3S125(L)	32mm / 50mm	2100	200	100	125	28W	
Without LED light							
PB300-3S125(L)	32mm / 50mm	300	200	100	125	—	—
PB600-3S125(L)	32mm / 50mm	600	200	100	125	—	
PB900-3S125(L)	32mm / 50mm	900	200	100	125	—	
PB1200-3S125(L)	32mm / 50mm	1200	200	100	125	—	
PB1500-3S125(L)	32mm / 50mm	1500	200	100	125	—	
PB2100-3S125(L)	32mm / 50mm	2100	200	100	125	—	




MODEL:JKD-PB-2B

Porously Linear Water Descent

- Multi porous wire drawing shadow water feature, one piece molding, more sturdy, uniform water output, beautiful and elegant design.
- Acrylic material, high temperature resistance, corrosion resistance, oxidation resistance.
- Constant Water Flow, Uniform and smooth water discharge effect.
- Suitable for villas, courtyards, gardens, pool water curtain walls.



Mode NO	Take Over Size mm	A mm	B mm	C mm	D mm	Power	Voltage
With LED light							
PB300-2B30(L)	32mm / 50mm	300	110	90	30	4W	Output : DC12V Input: AC100-240V
PB300-2B150(L)	32mm / 50mm	300	230	90	150	4W	
PB300-2B230(L)	32mm / 50mm	300	310	90	230	4W	
PB600-2B30(L)	32mm / 50mm	600	110	90	30	8W	Output : DC12V Input: AC100-240V
PB600-2B150(L)	32mm / 50mm	600	230	90	150	8W	
PB600-2B230(L)	32mm / 50mm	600	310	90	230	8W	
PB900-2B30(L)	32mm / 50mm	900	110	90	30	12W	Output : DC12V Input: AC100-240V
PB900-2B150(L)	32mm / 50mm	900	230	90	150	12W	
PB900-2B230(L)	32mm / 50mm	900	310	90	230	12W	
PB1200-2B30(L)	32mm / 50mm	1200	110	90	30	17W	Output : DC12V Input: AC100-240V
PB1200-2B150(L)	32mm / 50mm	1200	230	90	150	17W	
PB1200-2B230(L)	32mm / 50mm	1200	310	90	230	17W	
PB1500-2B30(L)	32mm / 50mm	1500	110	90	30	21W	Output : DC12V Input: AC100-240V
PB1500-2B150(L)	32mm / 50mm	1500	230	90	150	21W	
PB1500-2B230(L)	32mm / 50mm	1500	310	90	230	21W	






MODEL:JKD-PB-4S



Model No	A mm	B mm	C mm	D mm	Power	VOLTS		
With LED light								
PB300-4S70L	32mm	50mm	300	150	100	70	4W	Output: DC12V Input: AC100-240V
PB600-4S70L	32mm	50mm	600	150	100	70	8W	
PB900-4S70L	32mm	50mm	900	150	100	70	12W	
PB1200-4S70L	32mm	50mm	1200	150	100	70	17W	
PB1500-4S70L	32mm	50mm	1500	150	100	70	21W	
PB2100-4S70L	32mm	50mm	2100	150	100	70	28W	
Without LED light								
PB300-4S70	32mm	50mm	300	150	100	70	-	-
PB600-4S70	32mm	50mm	600	150	100	70	-	-
PB900-4S70	32mm	50mm	900	150	100	70	-	-
PB1200-4S70	32mm	50mm	1200	150	100	70	-	-
PB1500-4S70	32mm	50mm	1500	150	100	70	-	-
PB2100-4S70	32mm	50mm	2100	150	100	70	-	-



MODEL:JKD-PB-6S





A variety of plug specifications to choose from



Mode NO	Take Over Size mm	A mm	B mm	C mm	D mm	Power	Voltage
With LED light							
PB300-6S50(L)	32mm / 50mm	300	116	87	50	4W	Output : DC12V Input: AC100-240V
PB300-6S150(L)	32mm / 50mm	300	216	87	150	4W	
PB300-6S230(L)	32mm / 50mm	300	296	87	230	4W	
PB600-6S50(L)	32mm / 50mm	600	116	87	50	8W	Output : DC12V Input: AC100-240V
PB600-6S150(L)	32mm / 50mm	600	216	87	150	8W	
PB600-6S230(L)	32mm / 50mm	600	296	87	230	8W	
PB900-6S50(L)	32mm / 50mm	900	116	87	50	12W	Output : DC12V Input: AC100-240V
PB900-6S150(L)	32mm / 50mm	900	216	87	150	12W	
PB900-6S230(L)	32mm / 50mm	900	296	87	230	12W	
PB1200-6S50(L)	32mm / 50mm	1200	116	87	50	17W	Output : DC12V Input: AC100-240V
PB1200-S150(L)	32mm / 50mm	1200	216	87	150	17W	
PB1200-S230(L)	32mm / 50mm	1200	296	87	230	17W	
PB1500-S50(L)	32mm / 50mm	1500	116	87	50	21W	Output : DC12V Input: AC100-240V
PB1500-S150(L)	32mm / 50mm	1500	216	87	150	21W	
PB1500-S230(L)	32mm / 50mm	1500	296	87	230	21W	




MODEL:JKD-SM-F



Product	Model	Size(mm)	Power	LED Color	Working voltag	Size	Body Material
Water Curtain	JKD-SM-F	L1000*60*60	21W	Whith/ Warm/ RGB	AC100V ~240V Output : DC12V	Water Inlet DN40/1.5inch Water outlet M30 /meter	Stainless steel
		L2000*60*60	42W				
		L3000*60*60	63W				
		Customized					





MODEL:JKD-SM-Y



Product	Model	Size (mm)	Water Inlet Size	Water outlet Size	Body Material
Water Curtain	JKD-SM-Y	L1000*60*60	DN40/1.5inch	M30 /meter	Stainless steel
		L2000*60*60			
		L3000*60*60			
		Customized			





MODEL:JKD-HG03




Product	Model	Size(mm)	Light Source	Take over size	Body Material
Arc Hook Waterfall Water Curtain	JKD-HG03	H400*W200 / H600*W300 H700*W400 / H800*W500	With out LED light / With LED light	50 mm	Satin/Mirror Stainless steel




MODEL:JKD-HG05





Product	Model	Size(mm)	Light Source	Take over size	Body Material
Arc Hook Waterfall Water Curtain	JKD-HG05	H400*W200 / H600*W300 600*W500 / H700*W400 H700*W500 / H800*W500 H1000*W500	With out LED light / With LED light	32mm / 50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
Geometry Waterfall Water Curtain	JKD-HG01	H1370*W300*1.2 H1370*W400*1.2 H1370*W500*1.2 H1370*W600*1.2	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
Arc Hook Waterfall Water Curtain	JKD-HG06	H600*W300 / H700*W400 H800*W500 / H1000*W500 H1000*W600	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
Arc Hook Waterfall Water Curtain	JKD-HG02	H400*W200 / H600*W300 H600*W400 / H600*W500	Without LED light / With LED light	32mm 50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
7-shaped Waterfall Water Curtain	JKD-HG07	H700*W300 / H700*W500 H700*W700 / H700*W800	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel




Product	Model	Size(mm)	Light Source	Take over size	Body Material
Arc Hook Waterfall Water Curtain	JKD-HG04	H250*W100 / H400*W200 H600*W300	Without LED light / With LED light	32mm 50mm	Satin/Mirror Stainless steel




Product	Model	Size(mm)	Light Source	Take over size	Body Material
Sloping Arc Hook Waterfall Water Curtain	JKD-HG08	H600*W300 / H600*W400 H600*W500 / H800*W500 H800*W600 / H1000*W500	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel




Product	Model	Size(mm)	Light Source	Take over size	Body Material
Arc Hook Waterfall Water Curtain	JKD-HG09	H600*W300 / H700*W400 H800*W500 / H1000*W500	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel




Product	Model	Size(mm)	Light Source	Take over size	Body Material
S shaped Waterfall Water Curtain	JKD-HG10	H600*W400	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
Vortex Shape Waterfall Water Curtain	JKD-HG11	H800*W500	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
Eagle beak Waterfall Water Curtain	JKD-HG12	H600*W400	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel



Product	Model	Size(mm)	Light Source	Take over size	Body Material
Dolphin Shaped Waterfall Water Curtain	JKD-HG13	H600*W300	Without LED light / With LED light	50mm	Satin/Mirror Stainless steel

